Z18 BEE

Test Specifications:

Firearm Used: Marlin Over/Under

Barrel Length: 26"

Twist: 1 x 16"

Components:


Case: Remington

Trim-to Length: 1.335"

Primer: Rem 6 1/2

Remarks:

Introduced by Winchester in 1938, the 218 Bee was intended to provide somewhat more killing power than the Hornet. Based on



the 25-20 WCF, the Bee offers case capacity in between the Hornet and the 219 Zipper, another popular varmint cartridge of the same era. While the Bee does give higher velocities and greater energy, it never earned the same reputation for accuracy as the Hornet. Much of this is attributable to the fact that the Bee was introduced in the Model 65 lever action rifle, which didn't possess the accuracy potential of the many bolt actions for which the Hornet was chambered. The tubular magazine of the Model 65 also required use of blunt, round nosed bullets, further reducing long-range performance. While the Hornet is alive and well, the 218 Bee has fallen by the wayside.

Despite the foregoing comments, the Bee can be reloaded with satisfactory results. While factory brass for the 218 can be difficult to obtain, cases can be easily formed from the more readily available 32-20 WCF. Since its introduction, the Bee has been chambered in several different action types, many of which will accommodate spitzer bullets. For the Winchester Model 65, and any other rifle using a tubular magazine, blunt nose bullets must be used. Given the Bee's velocity range, Sierra's Hornet bullets are an excellent choice for most small game or varmint hunting. A 1x16" twist is the nominal standard for this cartridge, limiting most rifles to bullet weights of 40 to 50 grains for best accuracy.

Like the Hornet, the Bee shines brightest when fed a steady diet fast burning powder. In our testing, IMR-4227 gave the best results with the lighter bullet weights from 40 to 50 grains. Heavier bullets, ranging from 52 to 55 grains, performed best with IMR-4198. It is unfortunate that the Bee isn't better known among shooters today; it's a useful and enjoyable little cartridge.



SIERRA RELOADING MANUAL • SIXTH EDITION

Z18 BEE

	Bullet Calibe	r Weight 1	Гуре	C.O.A.L.		
	#1200 .224"	40gr. H	lornet	1.680"		
	#1385 .224"	40gr. H	IP	1.680"		
	#1440 .224"	40gr. E	BlitzKing	1.680"		
Powder Velocity > 2400 2500 2600 2700 2800 2900						
2400		10.9	11.4 12.0	12.5		
IMR-4227	10.5 1	1.1 11.7	12.2 12.8	13.4		
IMR-4198	1	3.5 14.1	14.6			
Energy Ft. Ibs	512 5	55 600	647 696	747		
Special Load	Powder	Grains	Velocity fps	Energy Ft. Ib		
Accuracy Load	2400	12.0	2800	696		
Hunting Load	IMR-4227	13.4	2900	747		

	Bullet Calil	ber Weight T	ype	C.O.A.L.
	#1110 .223	3" 45gr. H	lornet	1.680"
	#1210 .224	4" 45gr. H	lornet	1.680"
	#1310 .224	4" 45gr. S	PT	1.680"
Powder \lor	Velocity > 2300	2400 2500	2600 27	00 2800
2400		10.0 10.5	11.0 11.	5 12.0
IMR-4227		11.0 11.5	12.0 12.	5 13.0
IMR-4198	13.0	13.5 14.0	14.5 15.	.0
Energy Ft. Ib:	s 528	575 624	675 72	8 783
Special Load	Powder	Grains	Velocity fps	Energy Ft. Ib
Accuracy Loa	IMR-4227	12.5	2700	728
Hunting Load	I IMR-4227	13.0	2800	783



Z18 BEE

	Bullet Calib	oer Weight T	ype	C.O.A.L.
	#1320 .224	4" 50gr. S	SMP	1.680"
	#1330 .224	4" 50gr. S	SPT	1.680"
	#1340 .224	4" 50gr. E	Blitz	1.680"
Powder 🗸 Velocit	y > _2100	2200 2300	2400 250	2600
2400	9.0	9.5 10.0	10.5 11.	0 11.5
IMR-4227		10.8	11.4 11.	9 12.5
IMR-4198	12.0	12.6 13.2	13.8 14.	4 15.0
Energy Ft. Ibs	490	537 587	639 694	4 750
Special Load	Powder	Grains	Velocity fps	Energy Ft. Ib
Accuracy Load	IMR-4198	14.4	2500	694
Hunting Load	IMR-4198	15.0	2600	750

	Bullet Calil	ber Wei	ght T	ype			C.O.A.L.
#1410 .224" 52gr. HPBT MatchKing					1.680"		
#1400 .224" 53gr. HP MatchKing						1.680"	
Powder 🗸 Velocity	> 2100	2200	2300	2400	2500	2600	
2400		9.5	9.8	10.2	10.5		
IMR-4227	10.2	10.7	11.1	11.6	12.0	12.5	
IMR-4198	12.0	12.6	13.2	13.8	14.4	15.0	
Energy Ft. Ibs	509	559	611	665	722	780	
Special Load	Powder	Gra	ins	Velocity	fps	Energy	Ft. Ib
Accuracy Load	IMR-4198	15.0)	2600		780	
Sierra does not recommend MatchKing bullets for hunting applications.							



SIERRA RELOADING MANUAL • SIXTH EDITION

218 BEE

	Bullet Calibe	r Weight 1	Гуре	C.O.A.L.
	#1345 .224"	55gr. E	Blitz	1.680"
	#1350 .224"	55gr. 8	SMP	1.680"
	#1360 .224"	55gr. S	SPT TO	1.680"
Powder 🗸 Veloci	ity > 2100 2:	200 230	0 2400 2500) 2600
2400	9.	.5 10.0	10.5	
IMR-4227	10.2 1	0.8 11.4	11.9 12.5	
IMR-4198	12.0 1	2.5 13.0	13.5 14.0	14.5
Energy Ft. Ibs	538 5	91 646	703 763	825
Special Load	Powder	Grains	Velocity fps	Energy Ft. Ib
Accuracy Load	IMR-4198	14.0	2500	763
Hunting Load	IMR-4198	14.5	2600	825

Do not edit or redistribute.

